


REV.	ECN NO.	DESCRIPTION	DATE	DESIGN
B	ECN NO.	UPDATE THE DRAWING	2019.05.25	Yuxiaobin
C	ECN NO.	UPDATE THE DRAWING	2020.08.10	SYJ




USB TYPE-C PIN ASSIGNMENTS

PIN NUMBER	SIGNAL NAME	PIN NUMBER	SIGNAL NAME
A1	GND	B12	GND
A4	VBUS	B9	VBUS
A5	CC1	B8	SBU2
A6	Dp1	B7	Dn2
A7	Dn1	B6	Dp2
A8	SBU1	B5	CC2
A9	VBUS	B4	VBUS
A12	GND	B1	GND

ORDER INFORMATION


P/N: ACF011-2AXHXXX-0HR	
HOUSING MATERIAL A: LCP E: PA9T	CONTACT FUNCTIONAL AREA PLATED 01: Au 1u" 03: Au 3u" 15: Au 15u" 30: Au 30u"
HOUSING COLOR 1: BLACK 2: WHITE	CONTACT SOLDER AREA PLATED 1: Au 1u"
SHELL MATERIAL H:SUS304	CONTACT MATERIAL A: C1814 K: C7025
SHELL PLATING 1: Ni	







RECOMMENDED PCB LAYOUT(TOP VIEW)
THICKNESS 0.80MM;DEFAULT TOLERANCE:±0.05

TOLERANCE		NAME(INTENDED USE) CUSTOMER DRAWING		XB 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.		
X.X ±0.30	X.* ±10°	PART NO.		TITLE: USB CF 16PIN (L=6.35) MID MOUNT 1.6 WITH COVER		
.XX ±0.20	.X* ± 8°	SEE P/N				
.XXX ±0.10	.XX* ± 5°					
UNITS		mm		DESIGN: SYJ		DRAWG NO. XB-ACF011-2R
MATERILA		----		CHED:		
FINISH		-----		APPD:		SCALE SHEET REV. 1:1 2/3 C

REV.	ECN NO.	DESCRIPTION	DATE	DESIGN
B	ECN NO.	UPDATE THE DRAWING	2019.05.25	Yuxiaobin
C	ECN NO.	UPDATE THE DRAWING	2020.08.10	SYJ



SEE DETAIL X



	REEL	CARTON
CONNECTOR (PCS)	1400	9800

TOLERANCE		NAME(INTENDED USE) CUSTOMER DRAWING	东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.		
X.X ±0.30	X.* ±10°	PART NO.	TITLE: USB CF 16PIN (L=6.35) MID MOUNT 1.6 WITH COVER		
.XX ±0.20	.X* ± 8°	SEE P/N			
.XXX ±0.10	.XX* ± 5°	DESIGN: SYJ	DRAWG NO.		
UNITS	mm		XB-ACF011-2R		
MATERILA	----	CHED:	SCALE	SHEET	REV.
FINISH	----	APPD:			
			1:1	3/3	C