

REV.	DESCRIPTION	NAME	DATE
A	NEWS ISSUE	RainYi	2023/05/06

NOTES:

1. MATERIAL:

HOUSING: LCP, BK, UL 94V-0

SHELL: SPCC/BRASS

TERMINAL: C2680-EH

2. CONTACT PLATING:

50u" Min NICKEL UNDERPLATING OVER ALL

GOLD PLATING AT CONTACT AREA (SEE P/N)

80u" Min TIN AT SOLDERING AREA

SHELL PLATING: NICKEL 50U" Min

3. ELECTRICAL:

INSULATION RESISTANCE: 100MΩ MIN

CONTACT RESISTANCE: 30mΩ MAX

DIELECTRIC WITHSTAND: 500 VAC FOR 1Min

CURRENT RATING: 0.5A

VOLTAGE RATING: 40V

4. MECHANICAL:


INSERTION FORCE: 4.5 KGF MAX

WITHDRAWAL FORCE: 1.0~4.0 KGF


5. DURABILITY: 10000 CYCLES

6. TEMPERATURE RANGE: -55℃ TO +105℃


RECOMMENDED P.C.B HOLE LAYOUT
COMPONENT SIDE VIEW (TOLERANCE: +/-0.05)

TOLERANCE UNSPECIFIED		XGB 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.			
.0	±0.35				
.00	±0.25				
.000	±0.15				
X.°	±1.00°				
ASSEMBLY DRAWING		TITLE: HDMI A TYPE(板上型2.1版本) 板上-成品图			
DRAWN	He. Long. Fei	SIZE:A4	UNIT:mm.	PART. NO: HA01-N1XX-X1-1	
DATE	2023/05/06				
CHECKED	Long. Liu. Ting	SCALE: 1:1	PROJECTION		REV.: A
DATE	2023/05/06				
APPROVED	ZENQ	DWG	PATH	A-HA00010	
DATE	2023/05/06			PATH 1/3	

REV.	DESCRIPTION	NAME	DATE
A	NEWS ISSUE	RainYi	2023/05/06



脚有凸点



脚无凸点

4. P/N: XB-HA01-XXXX- X1-1


01代表铁壳
02代表铜壳

N1代表外壳镀镍
F1代表外壳镀金


外壳脚规格:

规格	DIM A	DIM B	外壳脚凸点
1	2.16	1.66	无凸点
2	2.16	1.66	带凸点
3	1.50	1.50	无凸点
4	2.20	2.20	无凸点
5	1.50	1.50	带凸点


L1代表端子半金锡0.5U"
L2代表端子半金锡1U"
L3代表端子半金锡3U"

TOLERANCE UNSPECIFIED . 0 ±0.35 .00 ±0.25 .000 ±0.15 X. ° ±1.00° ASSEMBLY DRAWING		XIB 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.	
TITLE: HDMI A TYPE (板上型2.1版本) 板上-成品图			
DRAWN DATE	He. Long. Fei 2023/05/06	SIZE: A4	UNIT: mm. PART. NO: HAXX-XXXX-X1-1
CHECKED DATE	Long. Liu. Ting 2023/05/06	SCALE: 1:1	PROJECTION  REV.: B
APPROVED DATE	ZENQ 2023/05/06	DWG PATH	A-HA00010 PATH 2/3


REV.	DESCRIPTION	NAME	DATE
A	NEWS ISSUE	RainYi	2023/05/06




出料方向: 前



NO.1




NO.2



纸箱规格: 33*33*30.5cm

NO.4



NO.3

1. 包装要求:
- 1.1 每卷包装500pcs, 卷带前后各空出5pcs位置;
 - 1.2 每10盘放一箱, 共计5kset;
 - 1.3 纸箱外贴上标签

- 备注:
1. 若有未装满之零数, 必须用泡棉塞满。
 2. 针对于包装方式可根据客户要求包装。

TOLERANCE UNSPECIFIED		东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.			
.0	±0.35				
.00	±0.25				
.000	±0.15				
X. °	±1.00°				
ASSEMBLY DRAWING		TITLE: HDMI A TYPE (板上型2.1版本) 板上-成品图			
DRAWN	He. Long. Fei	SIZE: A4	UNIT: mm.	PART. NO: HAXX-XXXX-X1-1	
DATE	2021/07/28				
CHECKED	Long. Liu. Ting	SCALE: 1:1	PROJECTION		REV.: A
DATE	2021/07/28				
APPROVED	ZENQ	DWG	PATH	A-HA00010	
DATE	2021/07/28			PATH 3/3	