











REV.	DESCRIPTION	DATE
A	RELEASE	Jul. 02, 2019

PIN	SIGNAL ASSIGNMENT	PIN	SIGNAL ASSIGNMENT
1	TMDS DATA2+	11	TMDS CLOCK SHIELD
2	TMDS DATA2 SHIELD	12	TMDS CLOCK
3	TMDS DATA2	13	CEC
4	TMDS DATA1+	14	UTILITY
5	TMDS DATA1 SHIELD	15	SCL
6	TMDS DATA1	16	SDA
7	TMDS DATA0+	17	DDC/CEC GROUND
8	TMDS DATA0 SHIELD	18	+5V POWER
9	TMDS DATA0	19	HOT PLUG DETECT
10	TMDS CLOCK+		



TOLERANCE .0=±0.25 .00=±0.15 .000=±0.05 ANG.=±3°				XB 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.			
APP'D 				NAME HDMI A 2.1 TYPE FEMALE WITH FLANGE(H=8.78)			
UNITS : mm SCALE NONE SIZE A7				PRODUCT SPEC. DRAW NO. XB-R369FA21			
SHEET 2 OF 3		REV. A					

REV.	DESCRIPTION	DATE
A	RELEASE	Jul. 02, 2019



PACKAGE :

- 1.SIZE:
REEL : $\phi 380\text{mm} \times 44.0\text{mm}$
CORTON : $400 \times 400 \times 400\text{mm}$ (LxWxH)
- 2.QUANTITY:
250 PCS/REEL
10 REEL/CARTON = 2500PCS
- 3.CARRIER TAPE : PET.
- 4.APPLICABLE DOCUMENTS:EIA-481-D

TOLERANCE .0= ± 0.25 .00= ± 0.15 .000= ± 0.05 ANG.= $\pm 3^\circ$		 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.	
 UNITS : mm		APP'D <i>Hony</i>	NAME HDMI A 2.1 TYPE FEMALE WITH FLANGE(H=8.78)
SCALE NONE	SIZE A7	SHEET 3 OF 3	REV. A
		DRAW NO. XB-R369FA21	